

Blast Chillers

ITEM: 48702
MODEL: BC-IT-0031

48703
BC-IT-0051

48704
BC-IT-0101



48702 -
24" wide (3 trays)



48703 -
32" wide (5 trays)



48704 -
32" wide by 66" tall (10 trays)

Rapid and efficient

These units are designed to quickly lower the temperature of foods to minimize bacterial growth ensuring food down through the danger zone within minutes. Blast chillers also offer an advantage by rapid freezing the food which produces fewer and smaller ice crystal resulting with minimal damage to the food. Perfect for hotels, restaurants, and food operation business.

FEATURES:


- External scotch-brite finish with internal glossy finish
- 60-mm high density polyurethane foam insulation
- CFC and HCFC free
- Designed with a digital control panel and core probe
- Core probe included
- Door switch for stopping the fan
- Removable grids-racks for easy cleaning
- Manual defrosting
- Automatic cold storage at the end of the cycle capacity ice cube tank
- 5" Touch Screen

1-833-487-3686

www.trentoequipment.com

sales@trentoequipment.com

Follow us on social media
@trentoequipment




Authorized Dealer




Technical Specification			
Features	24" wide with 0.88hp (3 Trays)	32" wide and 36.6" tall with 1.1 hp (5 trays)	32" wide and 66" tall with 1.8 hp (10 trays)
Item	48702	48703	48704
Model	BC-IT-0031	BC-IT-0051	BC-IT-0101
Number of Trays	3	5	10
Tray Dimensions	13" x 21" (330 x 533 mm)	18" x 26" (457 x 660 mm)	18" x 26" (457 x 660mm)
Cooling Capacity (3°C / 37°F)	26.4 lb. (12 kg.)	40 lb. (18 kg.)	70.5 lb. (32 kg.)
Cooling Capacity (-40°C / -40°F)	17.6 lb. (8 kg.)	26.5 lb. (12 kg.)	55.1 lb. (25 kg.)
Cooling Loading	628 W	995 W	1658 W
Power	648 W	828 W	2968 W
Amps	4.2 A	4.8 A	13.5 A
Electrical	115V / 60Hz / 1Ph	208V / 60Hz / 1Ph	208V / 60Hz / 1Ph
Refrigerant	R290	R290	R290
Interior Dimensions (WDH)	21.7" x 13.9" x 11" (551 x 353 x 280 mm)	18.5" x 27.6" x 15" (470 x 701 x 381 mm)	27.6" x 18.5" x 30" (701 x 470 x 762mm)
Net Weight	150 lb. (68 kg.)	236 lb. (107 kg.)	312 lb. (142 kg.)
Net Dimensions (WDH)	24" x 25.6" x 26" (620 x 650 x 670 mm)	32.2" x 32.5" x 36.6" (820 x 825 x 930 mm)	32" x 32" x 66" (813 x 813 x 1676 mm)
Gross Weight	165 lb. (75 kg.)	256 lb. (116 kg.)	386 lb. (175.1 kg.)
Gross Dimensions (WDH)	25" x 27" x 32" (640 x 690 x 810 mm)	33" x 33" x 44" (850 x 850 x 1110 mm)	33.5" x 33.5" x 73" (850 x 850 x 1860 mm)
Plug Type	NEMA 5 - 15P	NEMA 6 - 15P	NEMA 6 - 15P

Technical Drawing

*measurements in diagrams are in mm




48702



48703

Technical Drawing

*measurements in diagrams are in mm



48704