

Kromo Upright Heavy Duty Dishwasher

ITEM: 49128
MODEL: HOOD-130-PREMIUM-USA



Hoodtype dishwasher designed for being silent and reliable

Dishwashing machine built with fully double insulated hood, completely deep-formed, designed for being silent and reliable. Has the standard electronic versions with four programmable cycles.

FEATURES:


- Double insulated hood
- 5 wash cycles
- Three-phase machine
- Wash and rinse temperatures displayed
- Built-in rinse-aid dispenser
- Split wash and rinse arms
- Deep-formed tank
- Self-cleaning vertical pump
- Standard drain pump
- Detergent Dispenser
- Break Tank system to prevent backflow contaminations in the piping network
- User-friendly multichromatic START key
- Electronic control panel with LCD screen
- Language selection and menu personalization
- Self-diagnostic system for users and service staff
- PLUS SYSTEM to grant a constant rinse temperature and pressure

1-833-487-3686

www.trentoequipment.com



sales@trentoequipment.com

Follow us on social media
@trentoequipment



Authorized Dealer



Technical Drawing


	WATER CONNECTION 3/4" G
	DRAINING 15/16 inch
	ELECTRICAL SUPPLY

Technical Specification

Item	49128				
Model	HOOD-130-PREMIUM-USA				
Rinsing Temperature (Set)	185 °F (85 °C)				
Tank Capacity	44.4 qt (42 L)				
Tank Heating Element	2700 W				
Tank Temperature (Set)	160 °F (71 °C)				
Booster Capacity	15.84 qt (15 L)				
Booster Heating Element	9000 W				
Inlet Water Pressure	25 - 95 PSI (170-620 kPa)				
Power	10.75 kW				
Amperage	27.3 A				
Electrical	220-240V / 60 Hz / 3 Ph				
Water Consumption / Cycle (water pressure 200kpa)	2.76 qt (2.61 L)				
Washing Cycles	1 (120)	2 (180)	3 (240)	4 (300)	5 (360)

Water Supply 131 °F Racks / H (*) (')	30	20	15	12	10
Water Supply 50 °F Racks / H (*) (')	20	20	15	12	10
Pump Power	1750 W				
Drain Pump	43 W hMAX 31.5" (800 mm) (43.12 qt / 40.8 L)				
Noise	66.4dB(A)				
Rack Equipment	(2) Plastic Plates Basket (1) Large Mesh Glass Basket (2) Cutlery Basket				
Rack Dimensions	20" x 20" (508 x 508 mm)				
Crockery Dimensions	Plates: 16.12" (409 mm) dia. Tray Max: Gastronorm 1/1 (20.87" x 12.75" / 530 x 323 mm)				
Net Weight	276 lb. (125 kg.)				
Net Dimensions (WDH)	28.37" x 28.93" x 56.87" (720 x 734 x 1444 mm) 74.06" (1881 mm) Height (open hood)				
Gross Weight	311 lb. (141 kg.)				
Gross Dimensions (WDH)	30" x 33" x 59" (760 x 840 x 1500 mm)				

(*) Standard Thermostop

(') In case of cold water supply and/or continuous washing, the rinse-water heating process might take more time than usual, until the proper rinse temperature is reached. For this reason, the wash-cycle total timing might result longer than set.

Feature Comparison


	Dupla (49126)	Aqua (49125)
Double Walled	✓	Door only
Wash Cycles	2	2
Overflow Drain System	✓	✓
Anti-Drop Roof Panel	✓	✓
Door Security Micro-switch	✓	✓
Pressed Basket Supports	✓	
Split Wash/Rinse Arms	✓	✓
Rinse Aid Dispenser	✓	✓
Fully Automatic	✓	✓
Standard Drain Pump	✓	✓



	Hood 110 (49127)	HD 130 (49128)
Double Skin Hood		✓
Wash Cycles	2	5
Wash and Rinse Temp Display		✓
Rinse Aid Dispenser	✓	✓
Split Wash/Rinse Arms	✓	✓
Deep Formed Tank		✓
Self Cleaning Vertical Pump		✓
Standard Drain Pump	✓	✓
Break Tank System for Backflow Prevention		✓
Standard Drain Pump	✓	✓
LCD Control Panel		✓
Language Selection/ Menu Personalization		✓
Self Diagnostic System		✓
PLUS System For Constant Temperature/Pressure	✓	
Corner Installation		✓